



Programeerkabels

Model Number	Description	Description	Old model name
UC-PRG020-12A	USB type A to mini DIN and DB9 Female, 2 m Programming DVP		New
UC-PRG015-01A	USB mini to USB type A, 1.5 m Programming DVP & AH		New
UC-PRG030-01A	USB mini to USB type A, 3 m Programming DVP & AH		New
UC-PRG015-02A	USB type B to USB type A, 1.5 m Programming DVP, AH, DOP & TP-P		DOPCAUSBAB
UC-PRG030-02A	USB type B to USB type A, 3 m Programming DVP, AH, DOP & TP-P		New
UC-PRG030-20A	RJ45 to RJ45 Ethernet CAT5, 3 m		New
UC-MS010-02A	DB9 Female to Mini DIN, 1m Programing DVP Communication DOPB with DVP		DVPACAB2B10
UC-MS020-01A	DB9 Female to Mini DIN, 2m Programing DVP Communication DOPB with DVP		DVPACAB2A20
UC-MS030-01A	DB9 Female to Mini DIN, 3m Programing DVP Communication DOPB with DVP		DVPACAB2A30
UC-MS020-06A	DB9 Male to Mini DIN, 2m Communication DOPB03 to DVP		DOP-CA232DP
UC-MS030-06A	DB9 Male to Mini DIN, 3m Communication DOPB03 with DVP		DOPACAB2A30L
UC-PRG030-10A	DB9 Female to DB9 Female, 3m - Programing TP		DVPACAB530
UC-MS030-03A	DB9 Female to DB9 Male, 3m Communication AH500 with TP or DOPB		NEW
UC-MS030-04A	DB9 Male to DB9 Male, 3m Communication AH500 with DMV		NEW

Extension cables and terminal units for AH500 Motion Control


Model Number			Old model name
UC-ET010-13B	I/O extension cable for external terminal module (HDC), 1 m		DVPACAB7D10
UB-10-IO16C	External terminal module for motion control modules (HDC)		DVPAETB-IO16C
UB-10-IO22C	External terminal module for motion control modules (HDC)		DVPAETB-IO22C

Note1: Cable and terminal units to be used with AH20MC-5A and AH04HC-5A

Model Number			Old model name
UC-ET010-15B	I/O extension cable for external terminal module (HDC), 1 m		DVPACAB7E10
UB-10-IO24C	External terminal module for motion control modules (HDC)		DVPAETB-IO24C
UB-10-IO34C	External terminal module for motion control modules (HDC)		DVPAETB-IO34C

Note1: Cable and terminal units to be used with AH10PM-5A and AH15PM-5A

Extension cables and terminal units for High density modules for AH500 and DVP

Model Number			Old model name
UC-ET010-24A	I/O extension cable for external terminal module (MIL connector IDC40 to IDC40), 1 m		DVPACAB7A10
UC-ET010-24B	I/O extension cable for external terminal module (MIL connector IDC40 to IDC40), 1 m (shield)		DVPACAB7A10S
UC-ET020-24B	I/O extension cable for external terminal module (MIL connector IDC40 to IDC40), 2 m (shield)		DVPACAB7A20S
UC-ET030-24B	I/O extension cable for external terminal module (MIL connector IDC40 to IDC40), 3 m (shield)		DVPACAB7A30S
UB-10-ID32A	External terminal module for digital input module (MIL connector)		DVPAETB-ID32A
UB-10-OT32A	External terminal module for digital output modules (transistor output, MIL connector)		DVPAETB-OT32A

Note1: Cable and terminal units to be used with DVP32SM11N, DVP32SN11NT, AH32AM10N-5C, AH64AM10N-5C, AH32AN02T-5C, AH32AN02P-5C, AH64AN02T-5C and AH64AN02P-5C

Extension cables and terminal units for High density modules for AH500 and DVP

Model Number			Old model name
UC-ET010-24C	I/O extension cable for external terminal module (MIL connector IDC40 to IDC20x2), 1 m		DVPACAB7B10
UC-ET010-24D	I/O extension cable for external terminal module (MIL connector IDC40 to IDC20x2), 1 m (shield)		DVPACAB7B10S
UC-ET020-24D	I/O extension cable for external terminal module (MIL connector IDC40 to IDC20x2), 2 m (shield)		DVPACAB7B20S
UC-ET030-24D	I/O extension cable for external terminal module (MIL connector IDC40 to IDC20x2), 3 m (shield)		DVPACAB7B30S
UB-10-ID16A	External terminal module for digital input module(MIL connector)		
UB-10-OR16A	External terminal module for digital output modules (16-point relay output, MIL connector)		DVPAETB-OR16A
UB-10-OR16B	External terminal module for digital output modules (16-point relay output, MIL connector)		DVPAETB-OR16B

Note1: Cable and terminal units to be used with DVP32SN11NT, AH32AN02T-5C, AH32AN02P-5C, AH64AN02T-5C and AH64AN02P-5C

Extension cables and terminal units for High density modules for AH500 and DVP

Model Number			Old model name
UC-ET010-33B	I/O extension cable for external terminal module (DB37), 1 m		DVPACAB7C10
UB-10-ID32B	External terminal module for digital input modules (DB37 connector)		DVPAETB-ID32B
UB-10-OT32B	External terminal module for digital output modules (transistor output, DB37 connector)		DVPAETB-OT32B
UB-10-OR32A	External terminal module for digital output modules (32-point relay output, DB37 connector)		DVPAETB-OR32A
UB-10-OR32B	External terminal module for digital output modules (32-point relay output, DB37 connector)		DVPAETB-OR32B

Note1: Cable and terminal units to be used with AH32AM10N-5C, AH32AN02T-5B, AH32AN02P-5B

Extension cables for AH500 local network

Model Number	Description		Old model name
AHACAB06-5A	I/O extension cable for extension backplane, 0.6 m		
AHACAB10-5A	I/O extension cable for extension backplane, 1 m		
AHACAB15-5A	I/O extension cable for extension backplane, 1.5 m		
AHACAB30-5A	I/O extension cable for extension backplane, 3 m		
AHACAB50-5A	I/O extension cable for extension backplane, 5 m		
AHACABA0-5A	I/O extension cable for extension backplane, 10 m		
AHACABA5-5A	I/O extension cable for extension backplane, 15 m		
AHACABB0-5A	I/O extension cable for extension backplane, 20 m		
AHACABC0-5A	I/O extension cable for extension backplane, 30 m		
AHACABD0-5A	I/O extension cable for extension backplane, 40 m		
AHACABE0-5A	I/O extension cable for extension backplane, 50 m		
AHACABF0-5A	I/O extension cable for extension backplane, 60 m		
AHACABG0-5A	I/O extension cable for extension backplane, 70 m		
AHACABH0-5A	I/O extension cable for extension backplane, 80 m		
AHACABJ0-5A	I/O extension cable for extension backplane, 90 m		
AHACABK0-5A	I/O extension cable for extension backplane, 100 m		

Note1: If the cable is reworked by customer, Delta do not take responsibility on the performance

Note2: There's Optic fiber adapter (AHAADP01EF-5A and AHAADP02EF-5A) in case the distance required is longer than 100m

Optic Fiber Adapters




Model Number	Description		Old model name
AHAADP01EF-5A	Emitter Optic Fiber adaptor		
AHAADP02EF-5A	Receiver Optic Fiber adaptor		

Note1: AHAADP01EF-5A needs to be used always together with AHAADP02EF-5A

Field Bus cabling

Model Number	Description		Old model name
UC-CMC003-01A	CANopen communication cable, 0.3 m		TAP-CB03
UC-CMC005-01A	CANopen communication cable, 0.5 m		TAP-CB05
UC-CMC010-01A	CANopen communication cable, 1 m		TAP-CB10
UC-CMC015-01A	CANopen communication cable, 1.5 m		NC-CAB-DMC015
UC-CMC020-01A	CANopen communication cable, 2 m		TAP-CB20
UC-CMC030-01A	CANopen communication cable, 3 m		NC-CAB-DMC030
UC-CMC050-01A	CANopen communication cable, 5 m		NC-CAB-DMC050
UC-CMC100-01A	CANopen communication cable, 10 m		NC-CAB-DMC100
UC-CMC200-01A	CANopen communication cable, 20 m		NEW
UC-EMC003-02A	EtherCAT communication cable, 0.3 m		NEW
UC-EMC005-02A	EtherCAT communication cable, 0.5 m		NEW
UC-EMC010-02A	EtherCAT communication cable, 1 m		NEW
UC-EMC020-02A	EtherCAT communication cable, 2 m		NEW
UC-EMC050-02A	EtherCAT communication cable, 5 m		NEW
UC-EMC100-02A	EtherCAT communication cable, 10 m		NEW
UC-EMC200-02A	EtherCAT communication cable, 20 m		NEW

Field Bus cabling

Model Number	Description		Old model name
UC-PF01Z-01A	PROFIBUS communication cable		TAP-CBDP
UN-03PF-01A	PROFIBUS connector		TAP-CN20
UN-03PF-02A	PROFIBUS connector		TAP-CN21
UN-03PF-03A	PROFIBUS connector		TAP-CN22

Note: The cable is sold by the meter. Max. ordering quantity: 305 meters(1 roll). Min. ordering quantity: 1 meter.

Adapters, Splitter and terminal resistors

Model Number	Description		Old model name
TAP-CN01	DeviceNet/CANopen distribution Box, 1 to 2 (Terminator 121Ω)		TAP-CN01
TAP-CN02	DeviceNet/CANopen distribution Box, 1 to 4 (Terminator 121Ω)		TAP-CN02
TAP-CN03	DeviceNet/CANopen distribution Box, 1 to 4, RJ45 adapter (Terminator 121Ω)		TAP-CN03
TAP-CP01	DeviceNet/CANopen Power supply distribution box (Terminator 121Ω)		TAP-CP01
UN-03EN-04A	RJ45 daisy chain adapter		NEW
MKE-HUB01	RJ45 daisy chain adapter with ground		
TAP-TR01	Terminator, 121 W - Canopen		TAP-TR01